٠.										
	Form PTO-1390 US DEPARTMENT C (Rev. 12-29-99) TRANSMITTAL LETTER TO T	OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NO. H 4157 PCT/US							
	DESIGNATED/ELECTED OFF CONCERNING A FILING UND	ICE (DO/EO/US)	U.S. APPLICATION OF LIGHT STORY OF BIR 1519 3							
	INTERNATIONAL APPLICATION NO. PCT/EP00/04365	INTERNATIONAL FILING DATE May 16, 2000	PRIORITY DATE CLAIMED May 25, 1999							
	TITLE OF INVENTION UTILIZATION OF PIT EMU	LSIONS IN FERMENTATION	PROCESSES							
	APPLICANT(S) FOR DO/EO/US Jean-Pierre Molitor, Matth	ias Wegener, Christian De H	laut, Benoit Abribat, Bent Rogge							
	Applicant herewith submits to the United Str	ates Designated/Elected Office (EO/DO/US) ti	he following items and other information:							
	1. This is a FIRST submission of ite	ems concerning a filing under 35 U.S.C. 371.								
	2. This is a SECOND or SUBSEQU	ENT submission of items concerning a filing u	under 35 U.S.C. 371.							
14.14		tional examination procedures (35 U.S.C. 371) the applicable time limit set in 35 U.S.C. 371)								
	4. A proper Demand for International	4. A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.								
" Hall for Mall !!	5. ■ A copy of the International Application as filed (35 U.S.C. 371(c)(2)). a. □ is transmitted herewith (required only if not transmitted by the International Bureau). b. ■ has been transmitted by the International Bureau. is not required, as the application was filed in the United States Receiving Office (RO/US).									
2	6. A translation of the International App	olication into English (35 U.S.C. 371(c)(2)).								
mall these there Land	a. are transmitted herewith (b. have been transmitted by	ever, the time limit for making such amendmen	onal Bureau).							
13 Mag 2	8. A translation of the amendments to the second	the claims under PCT Article 19 (35 U.S.C. 3	71(c)(3)).							
*	9. An oath or declaration of the invento	r(s) (35 U.S.C. 371(c)(4)). (UNEXECUTED)								
	10. A translation of the annexes to the Ir	nternational Preliminary Examination Report un	der PCT Article 36 (35 U.S.C. 371(c)(5)).							
	Items 11. to 16. below concern other doc 11. An Information Disclosure Statemen									
	12. An assignment document for record	ing. A separate cover sheet in compliance with	h 37 CFR 3.28 and 3.31 is included.							
1	13. A FIRST preliminary amendment A SECOND or SUBSEQUENT preli	iminary amendment.								
1	14. A substitute specification.									
	15. ☐ A change of power of attorney and/o	r address letter.								
	16. ☐ Other items or information:									
1										

"Express Mail Post Office to Addressee" service Mailing Label Number <u>EL541613956US</u>.

U.S. Application No. of knowledge	11.9.35)	INTERNATIONAL A PCT/EP00/0436		NO.		NEY'S DOC	KET NUMBER
17. The following fees are sub BASIC NATIONAL FEE (37 CF) Neither international prelin	R 1.492(a)(1)-(5)):				CALCULA	TIONS	PTO USE ONLY
nor international search fed and International Search R	e (37 CFR 1.445(a)(2)) paid to USPTO	\$1,040.	00			
International preliminary e USPTO but International Se			\$890.	.00			
International preliminary en international search fee (32)				.00			
International preliminary e but all claims did not satisf				.00			
International preliminary ex and all claims satisfied pro-	xamination fee paid to visions of PCT Article	USPTO (37CFR 1,482) 33(1)-(4)) \$10 0	.00			
ENTER APPRO	PRIATE BASI	C FEE AMOUNT	-	=	\$	890	
surcharge of \$130.00 for furnish nonths from the earliest claimed			□ 30		\$	0	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE				
Total Claims	24 - 20 =	4	4 X \$18.	00	\$	72	
Independent Claims	2 - 3 =	0	0 X \$84.	00	\$	0	
Aultiple dependent claims (s)(if a	onlicable)	0	+ \$280.0	20	\$	0	
		/E CALCULATIO		=	\$	962	
teduction of ½ for filing by small lso be filed. (Note 37 CFR 1.9, 1		A Small Entity Stateme	nt must		\$	0	
iso de med. (Note 57 CTR 1.5, 1		SUBTOTA	AL	=	\$	962	
rocessing fee of \$130.00 for fun				+	\$	0	
nonuis from the earliest claimed		AL NATIONAL F		=	\$	962	
Fee for recording the enclosed assaccompanied by an appropriate co	signment (37 CFR 1.2	1(h)). The assignment	must be	+	\$	0	
ecompanied by an appropriate of		L FEES ENCLO		=	\$	962	
					Amount i		\$
					charged:		\$962.00
A check in the amount of \$ Deposit A triplicate copy of this sheet. The Commissioner is hereby overpayment to Deposit Act NOTE: Where an appropriate must be filed and granted to a SEND ALL CORRESPONDENCE TO:	account No50-1177 et is enclosed. Order y authorized to charge count No50-1177 time limit under 37 restore the applicat : Cognis Corpo	in the amount of \$\frac{\psi}{2}\$. No. \frac{01-0745}{01-0745}. any additional fees where the second of the seco	962.00 to cover hich may be referred this sheet is 5 has not been us.	equired, enclose en met SIGNA Aaron NAME	or credit : d. a petitio TURE: R. Ettelr	on to revive	e (37/6FR 1.137 (a) or (b)) APPLICANT
SEND ALL CORRESPONDENCE TO:	2500 Renais	sance Blvd., Suite	200	NAME 42,516	ATTOR	NEY FOR	
				REGIS	TRATIO	N NUMBE	R

"Express Mail" Mailing Label Number <u>EL541613956US</u>.

PATENT Docket No. H 4157 PCT/US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RE:

* - m & *

PCT/EP00/04365

International Filing Date: May 16, 2000 Priority Date Claimed: May 25, 1999

Applicant: Molitor, et al.

Title: UTILIZATION OF PIT EMULSIONS IN FERMENTATION

PROCESSES

Applicants' Reference: H 4157 PCT/US

PRELIMINARY AMENDMENT

Commissioner for Patents Box PCT Washington, DC 20231

ATTN: DO/EO/US

Prior to the calculation of fees and examination of the above-identified national stage application pursuant to the accompanying submission under 35 U.S.C. §371, please amend the English translation of the International Application submitted herewith, without prejudice, as follows:

In the Specification:

Please amend the instant Specification, without prejudice, as follows:

Please delete all text above line 3 of page 1, and replace the deleted matter with the following new section headings and title of the invention:

--TITLE OF THE INVENTION

Fermentation Mediums and Processes Using the Same

BACKGROUND OF THE INVENTION--

At page 3, between lines 27 and 28 thereof, please insert the following new section heading and new paragraph:

-- BRIEF SUMMARY OF THE INVENTION

The present invention relates, in general, to the use of emulsions produced by the PIT method in fermentation processes.--

At page 4, between lines 7 and 8 thereof, please insert the following new section heading:

-- DETAILED DESCRIPTION OF THE INVENTION--

At page 16, between lines 1 and 2, please add the following new paragraph: --What is claimed is:--.

On a separate, new page 18, please add the following new section heading and paragraph containing an Abstract of the Disclosure:

-- ABSTRACT OF THE DISCLOSURE

Reaction mediums for fermentation processes comprising: (a) a microorganism; and (b) a phase inversion temperature emulsion, wherein the emulsion comprises water, an emulsifier and an oil phase selected from the group consisting of (i) fatty acid alkyl esters, vegetable triglycerides, and mixtures thereof, and wherein the emulsion has an average droplet size of from 50 to 400 nm are disclosed, as well as processes for using the same.—

In the Claims:

Please add new claims 12-35, as follows:

- -12. (New) A reaction medium for fermentation processes comprising:
 - (a) a microorganism; and
- (b) a phase inversion temperature emulsion, wherein the emulsion comprises water, an emulsifier and an oil phase selected from the group consisting of (i) fatty acid alkyl esters, vegetable triglycerides, and mixtures thereof, and wherein the emulsion has an average droplet size of from 50 to 400 nm.--

- --13. (New) The reaction medium according to claim 12, wherein the emulsion has an average droplet size of from 100 to 300 nm.--
- --14. (New) The reaction medium according to claim 12, wherein the emulsion has an average droplet size of from 180 to 300 nm.--
- --15. (New) The reaction medium according to claim 12, wherein the emulsion has an average droplet size of from 160 to 250 nm.--
- --16. (New) The reaction medium according to claim 12, wherein the oil phase comprises a fatty acid methyl ester according to the general formula (I):

 R^1 -COO- R^2 (I

wherein R¹ represents a C6-22 alkyl group and R² represents a methyl group.--

- --17. (New) The reaction medium according to claim 12, wherein the oil phase comprises a fatty acid methyl ester selected from the group consisting of methyl oleate, methyl palmitate, methyl stearate, methyl pelargonate and mixtures thereof.--
- --18. (New) The reaction medium according to claim 12, wherein the oil phase comprises an oil selected from the group consisting of coconut oil, sunflower oil, rapeseed oil and mixtures thereof.--
- --19. (New) The reaction medium according to claim 12, wherein the emulsifier comprises a combination of a hydrophilic emulsifier having an HLB value of from 8 to 18 and a hydrophobic co-emulsifier.--
- --20. (New) The reaction medium according to claim 12, wherein the emulsifier is present in an amount of from 1 to 25% by weight based on the emulsion.--

- --21. (New) The reaction medium according to claim 12, wherein the microemulsion comprises water in an amount of from 20 to 90% by weight based on the total weight of the emulsion.--
- --22. (New) The reaction medium according to claim 12, wherein the oil phase is present in an amount of from 10 to 80% by weight based on the emulsion.--
 - --23. (New) A fermentation process comprising:
- (a) providing a reaction medium comprising a phase inversion temperature emulsion, wherein the emulsion comprises water, an emulsifier and an oil phase selected from the group consisting of (i) fatty acid alkyl esters, vegetable triglycerides, and mixtures thereof, and wherein the emulsion has an average droplet size of from 50 to 400 nm;
 - (b) combining the reaction medium and a microorganism; and
 - (c) conducting fermentation.--
- --24. (New) The fermentation process according to claim 23, wherein the reaction medium further comprises a substrate to be fermented.--
- --25. (New) The fermentation process according to claim 23, wherein the oil phase is fermented by the microorganism.--
- --26. (New) The fermentation process according to claim 23, wherein the emulsion has an average droplet size of from 100 to 300 nm.--
- --27. (New) The fermentation process according to claim 23, wherein the emulsion has an average droplet size of from 180 to 300 nm.--
- --28. (New) The fermentation process according to claim 23, wherein the emulsion has an average droplet size of from 160 to 250 nm.--

--29. (New) The fermentation process according to claim 23, wherein the oil phase comprises a fatty acid methyl ester according to the general formula (I):

 R^1 -COO- R^2 (I

wherein R¹ represents a C6-22 alkyl group and R² represents a methyl group.--

- --30. (New) The fermentation process according to claim 23, wherein the oil phase comprises a fatty acid methyl ester selected from the group consisting of methyl oleate, methyl palmitate, methyl stearate, methyl pelargonate and mixtures thereof.--
- --31. (New) The fermentation process according to claim 23, wherein the oil phase comprises an oil selected from the group consisting of coconut oil, sunflower oil, rapeseed oil and mixtures thereof.--
- --32. (New) The fermentation process according to claim 23, wherein the emulsifier comprises a combination of a hydrophilic emulsifier having an HLB value of from 8 to 18 and a hydrophobic co-emulsifier.--
- --33. (New) The fermentation process according to claim 23, wherein the emulsifier is present in an amount of from 1 to 25% by weight based on the emulsion.--
- --34. (New) The fermentation process according to claim 23, wherein the water is present in an amount of from 20 to 90% by weight based on the emulsion.--
- --35. (New) The fermentation process according to claim 23, wherein the oil phase is present in an amount of from 10 to 80% by weight based on the emulsion.--

Please cancel claims 1-11, without prejudice.

REMARKS

Claims 12-35 are currently pending in the instant application.

The Specification has been amended to delete the original section headings and to insert the preferred section headings pursuant to 37 C.F.R. §1.77. A new Title of the Invention has been inserted. An Abstract of the Disclosure, in accordance with the disclosure, has been added. It is submitted that the amendments to the Specification made herein introduce no new matter. All of the amendments to the Specification constitute deletions of original section headings and/or paragraphs, and insertions or additions of new section headings and/or paragraphs. Accordingly, pursuant to 37 C.F.R. §1.121(b)(1)(iii), no separate page captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE" is necessary. A separate page containing a clean copy of the Abstract of the Disclosure has been attached for the Examiner's convenience. Entry of the amendments to the Specification made herein are therefore proper and respectfully requested.

Original claims 1-11 have been canceled and replaced with new claims 12-35 solely for the purpose of improving clarity and grammar, which may suffer in translation, and not for any reason which relates to the statutory requirements for a patent. New claims 12-35 have not been added in response to any rejection, nor in anticipation of any rejection.

Applicants respectfully submit that the scope of new claims 12-35 generally corresponds to the scope of original claims 1-11, and that new claims 12-35 are no narrower than original claims 1-11. Furthermore, although a moot point in view of their cancellation, Applicants respectfully submit that original claims 1-11 satisfied the requirements of 35 U.S.C. §112, as filed. New claims 12-35 are supported by the claims as originally filed and in the Specification, for example, at page 3, line 30, through page 4, line 30; at page 5, lines 19-25; and in the Examples. No new matter has been introduced. All of the amendments to the Claims constitute cancellation of original claims and the addition of new claims. Accordingly, pursuant to 37 C.F.R. §1.121(c)(1)(ii), no separate page captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE" is necessary. Entry is therefore proper and respectfully requested.

Prompt examination of the instant application in view of the amendments made herein is respectfully requested.

Respectfully submitted,

JEAN-PIERRE MOLITOR, et al.

AARON R. ETTELMAN

(Reg. No. 42,516) Attorney for Applicants

Telephone: (610) 278-4930 Facsimile: (610) 278-6548

E-Mail: AARON.ETTELMAN@HENKEL-AMERICAS.COM

Cognis Corporation, Patent Dept. 2500 Renaissance Blvd., Suite 200 Gulph Mills, PA 19406

ARE/ras

G:\Data\amend\H4157.pam.doc

ABSTRACT OF THE DISCLOSURE

Reaction mediums for fermentation processes comprising: (a) a microorganism; and (b) a phase inversion temperature emulsion, wherein the emulsion comprises water, an emulsifier and an oil phase selected from the group consisting of (i) fatty acid alkyl esters, vegetable triglycerides, and mixtures thereof, and wherein the emulsion has an average droplet size of from 50 to 400 nm are disclosed, as well as processes for using the same.

JC10 Rec'd PGT/PTO 1 5 NOV 2001

5

10

15

20

25

Utilization of PIT Emulsions in Fermentation Processes

This invention relates to the use of emulsions produced by the PIT method in fermentation processes.

Microbiological processes are being increasingly used in the synthesis of complex natural substances and other organic compounds. Such processes involve a conversion/transformation under anaerobic or aerobic conditions in which microorganisms, but especially bacteria or fungi, participate. Various terms - not always clearly distinguished from one another (such as bioconversion, biotransformation, fermentation) - are used by experts for microbiological processes. The term "fermentation" is used in the present specification for processes where microorganisms, preferably bacteria, are used for the transformation or synthesis of chemical compounds.

An important element in the development and optimization of fermentation processes is in particular the reaction medium in which the microbiological transformation takes place. The reaction medium. generally an aqueous solution or dispersion, influences above all the yield and efficiency of the process. The microorganisms need carbon, nitrogen and certain trace elements in bound form, for example calcium, iron, phosphorus or zinc, as nutrients to make successful metabolization to the required products possible. In addition, the temperature and pH regularly have to be kept in a certain, generally narrow range. Further details can be found in the manual by W. Crueger/A. Crueger, Biotechnologie -Lehrbuch der angewandten Mikrobiologie, 2nd Edition 1984, R. Oldenbourg Verlag. Chapter 5 of this work is particularly concerned with the fundamentals of fermentation. Accordingly, this literature reference also belongs specifically to the disclosure of the present invention. Besides high-energy sugars and derivatives thereof, natural fats and oils and

10

15

20

25

30

derivatives thereof, such as glycerol, glycerides, fatty acids or fatty acid esters, are additionally used as nutrients for the microorganisms in many processes. The culture media may not of course contain any ingredients which could adversely influence the metabolization of the microorganisms.

DE 37 38 812 A1, for example, describes a microbial process for the production of α , ω -dicarboxylic acids in which bacteria of the strain *Candida tropicalis* transform methyl laurate into the required dicarboxylic acids. This transformation takes place in an aqueous medium at a pH of 6.0 and at a temperature of 30°C. Besides the microorganisms, the medium contains glucose as an energy source, ethoxylated sorbitan monooleate as emulsifier, yeast extract, corn steep liquor and inorganic N and P sources. The methyl laurate is then added to the medium. There is nothing in the document in question to indicate the type of emulsion which forms in the fermenter or in which the methyl laurate is added to the fermentation broth. EP 0 535 939 A1 describes a process for the production of ω -9-polyunsaturated fatty acids in which suitable microorganisms produce the required polyunsaturated fatty acids in an aqueous culture medium in the presence of sugars as energy sources and inorganic or organic nitrogen sources and in the presence of fatty acid methyl esters.

However, other known processes use only fatty compounds of the type described above as energy sources. This is particularly of economic interest because fatty compounds such as these are generally less expensive than sugars, starch and similar compounds. Park et al. (Park et al., Journal of Fermentation and Bioengineering, Vol. 82, No. 2, 183-186, 1996) describe a fermentation process for the production of tylosine in which microorganisms of the strain *Streptomyces fradiae* are used in an aqueous medium, rapeseed oil being present as sole carbon source in starting quantities of about 60 g/l.

In fermentation processes, the oxygen content in the medium or the fermentation broth also plays a key role. In aerobic processes, the oxygen

10

15

20

25

30

acts as a substrate. A critical factor is whether a transfer of oxygen from the gas phase to the liquid phase containing the microorganisms can take place sufficiently for the particular process. An important parameter is the specific exchange surface which, in general, is indirectly determined via the oxygen transfer coefficient k_{La} (cf. Crueger, Chapter 5, pages 71 et seq.). Adjustment of the optimum oxygen input is typically achieved by stirring the fermentation broth, the oxygen or the air being mixed with the liquid and the exchange of gas thus taking place at the interfaces. However, the considerable mechanical input of energy by intensive stirring, as carried out by Park et al., can also destroy parts of the culture, thus reducing the yield of the process. In addition, the dead microorganisms are themselves further degraded and can lead to poisoning of the culture through the degradation products formed so that economic production is not possible. It is known from the work of Goma and Rols (G. Goma, J.L. Rols, Biotech. Let., Vol. 13, No. 1, pages 7 to 12, 1991) that the use of soybean oil in fermentation processes for the production of antibiotics leads to an improvement in the oxygen transfer coefficient k_{La} which, for the same energy input (stirring), can lead to an increase in the yield of the process as a whole.

Now, the problem addressed by the present invention was to improve fermentation processes so that, on the one hand, inexpensive carbon sources could be used and, on the other hand, an adequate supply of oxygen to the microorganisms would be guaranteed without the microorganisms being exposed to unacceptably severe mechanical stressing by stirring. A way was to be found of minimizing the mechanical input of energy in fermentation processes without any reduction in yield. Preferably, the yield would be increased despite the reduced energy input.

It has now been found that the use of special fine-droplet oil-in-water (o/w) emulsions solves the problem stated above.

In a first embodiment, the present invention relates to the use of o/w

emulsions in fermentation processes, the emulsions containing at least water, emulsifiers and an oil phase, the oil phase containing one or more compounds from the groups of

a) fatty acid alkyl esters and/or

5

10

15

20

25

30

b) triglycerides of vegetable origin and the emulsions being produced by the PIT method and having a droplet size of 50 to 400 nm.

It is known that oil-in-water (o/w) emulsions produced with nonionic emulsifiers and stabilized can undergo generally reversible phase inversion on heating, i.e. the emulsion can change type from an o/w to a w/o (waterin-oil) emulsion in a certain temperature range. Since the oil becomes the outer continuous phase in the process, the conductivity of the emulsion falls to zero. The mean value of the temperatures between maximum conductivity of the emulsion and zero conductivity therof on heating is called the phase inversion temperature (PIT) and the emulsions produced in this way are called PIT emulsions. It is also known that the position of the PIT depends on many factors, for example on the type and phase volume of the oil component, on the hydrophilia and structure of the emulsifiers and on the composition of the emulsifier system. The droplet fineness of PIT emulsions is critically determined by the process used for their production. In general, the water and oil phases are mixed with the emulsifiers and then heated to a temperature above the PIT. Conductivity must fall to zero in the process. The emulsion is then cooled to the starting temperature (generally room temperature, ca. 20°C). The emulsion used in accordance with the invention is formed by the temperature first exceeding and then falling below the phase inversion temperature. It is known that only those PIT emulsions which form a microemulsion phase with low interfacial tension between oil and water or a lamellar liquid crystalline phase during the phase inversion process have particularly fine droplets.

The critical step in this regard is always the re-inversion on cooling.

10

15

20

25

30

DE 38 19 193 A1 discloses a process for the production of low-viscosity o/w emulsions by the phase inversion technique. In this process, the PIT technique is applied to mixtures containing an oil component, a nonionic emulsifier and a co-emulsifier in aqueous medium. The oil component is said to consist of 50 to 100% by weight of special mono- or diesters, 0 to 50% by weight of C₈₋₂₂ fatty acid triglycerides and optionally 0 to 25% by weight of a hydrocarbon oil. Beyond the components mentioned, DE 38 19 193 A1 does not disclose any other components and does not mention any intended uses of the emulsions produced.

DE 41 40 562 A1 describes a process for the production of o/w emulsions by the PIT technique in which polar oil components are heated with an emulsifier system containing nonionic emulsifiers with an HLB value of 10 to 18 beyond the PIT temperature of the emulsion in the presence of co-emulsifiers from the group of C₁₂₋₂₂ fatty alcohols and/or Guerbet alcohols and are then cooled again, fine-droplet emulsions being obtained.

DE 196 35 553 A1 describes emulsifier systems containing fatty acid ethoxylates and partial glycerides as key components for the production of fine-droplet PIT emulsions.

The emulsions according to the invention are distinguished in particular by their droplet fineness. The droplets are between 50 and 400 nm in size, preferably between 100 and 300 nm in size, more preferably between 180 and 300 nm in size and most preferably between 160 and 250 nm in size. The droplet sizes are assumed to have a Gaussian distribution and are measured, for example, by light scattering or absorption.

The fineness of the oil droplets leads to a large surface between the oil and water phases and thus provides for rapid contact between the microorganisms present in the aqueous phase and the oil phase containing the nutrients. The large surface also simplifies the exchange of gases, particularly oxygen and CO₂. In addition, the viscosity of the emulsion and

10

15

20

hence of the entire fermentation medium decreases. As a result, the stirring speed of the fermentation medium can be distinctly reduced so that the yield of the fermentation process can be increased.

According to the invention, the PIT emulsions are added to the aqueous fermentation medium containing the microorganisms and optionally other auxiliaries and additives. The details of this process, more especially the addition rate and added quantity of the emulsion, are determined by the microorganism strains and the fermentation process selected and may be adapted by the expert to suit the particular circumstances.

Besides water, the PIT emulsions contain an oil phase which contains compounds from the group of fatty acid alkyl esters a) or native vegetable oils and derivatives thereof b). Groups a) and b) are hydrophobic, water-insoluble or substantially water-insoluble compounds which may serve as nutrients, i.e. energy sources, for the bacteria used in the fermentation process, but which may also be starting materials (substrates) for the products to be obtained by bioconversion.

Suitable esters of group a) are derived in particular from saturated, unsaturated, linear or branched fatty acids containing a total of 7 to 23 carbon atoms. In other words, they are compounds corresponding to formula (I):

 R^1 -COO- R^2 (I)

where R¹ is a C₆₋₂₂ alkyl group and R² is a C₁₋₄ alkyl group. Methyl and ethyl groups are preferred. The use of methyl esters is the most advantageous. The methyl esters of formula (I) may be obtained in known manner, for example by transesterification of triglycerides with methanol and subsequent distillation. Suitable fatty acids are caproic acid, heptanoic acid, caprylic acid, pelargonic acid, capric acid, undecanoic acid, lauric

10

15

20

25

30

acid, tridecanoic acid, myristic acid, pentadecanoic acid, palmitic acid, heptadecanoic acid, stearic acid, nonadecanoic acid, arachic acid and behenic acid. Unsaturated representatives are, for example, lauroleic acid, myristoleic acid, palmitoleic acid, petroselaidic acid, oleic acid, elaidic acid, ricinoleic acid, linoleic acid, linolaidic acid, linolenic acid, gadoleic acid, arachidonic acid and erucic acid. Mixtures of the methyl esters of these acids are also suitable. It is particularly preferred to use PIT emulsions containing methyl esters from the group consisting of methyl oleate, methyl palmitate, methyl stearate and/or methyl pelargonate. However, methyl esters based on natural fatty acid mixtures obtainable, for example, from linseed oil, coconut oil, palm oil, palm kernel oil, olive oil, castor oil, rapeseed oil, soybean oil or sunflower oil (in the case of rapeseed and sunflower oil, new and old plants) may also be used.

Suitable group b) compounds are native oils of vegetable origin. These are essentially triglyceride mixtures where the glycerol is always completely esterified with relatively long-chain fatty acids. Particularly suitable vegetable oils are selected from the group consisting of peanut oil, coconut oil and/or sunflower oil.

Peanut oil contains on average (based on fatty acid) 54% by weight oleic acid, 24% by weight linoleic acid, 1% by weight linolenic acid, 1% by weight arachic acid, 10% by weight palmitic acid and 4% by weight stearic acid and has a melting point of 2 to 3°C. Linseed oil typically contains 5% by weight palmitic acid, 4% by weight stearic acid, 22% by weight oleic acid, 17% by weight linoleic acid and 52% by weight linolenic acid and has an iodine value of 155 to 205, a saponification value of 188 to 196 and a melting point of about -20°C. Coconut oil contains ca. 0.2 to 1% by weight hexanoic acid, 5 to 8% by weight octanoic acid, 6 to 9% by weight decanoic acid, 45 to 51% by weight lauric acid, 16 to 19% by weight myristic acid, 9 to 11% by weight palmitic acid, 2 to 3% by weight oleic acid, less than 0.5% by weight behenic acid, 8 to 10% by weight oleic acid

10

15

20

25

30

and up to 1% by weight linoleic acid as fatty acid components. It has an iodine value of 7.5 to 9.5, a saponification value of 0.88 to 0.90 and a melting point of 20 to 23°C. Olive oil predominantly contains oleic acid (cf. Lebensmittelchem. Gerichtl. Chem., 39, 112 to 114, 1985). Palm oil contains ca. 2% by weight myristic acid, 42% by weight palmitic acid, 5% by weight stearic acid, 41% by weight oleic acid, 10% by weight linoleic acid as fatty acid components. Palm kernel oil typically has the following composition in relation to its fatty acid spectrum: 9% by weight caproic/caprylic/capric acid, 50% by weight lauric acid, 15% by weight myristic acid, 7% by weight palmitic acid, 2% by weight stearic acid, 15% by weight oleic acid and 1% by weight linoleic acid. Rapeseed oil typically contains ca. 48% by weight erucic acid, 15% by weight oleic acid, 14% by weight linoleic acid, 8% by weight linolenic acid, 5% by weight eicosenoic acid, 3% by weight palmitic acid, 2% by weight hexadecenoic acid and 1% by weight docosadienoic acid as fatty acid components. Rapeseed oil from new plants is richer in the unsaturated components. Typical fatty acid components here are erucic acid 0.5% by weight, oleic acid 63% by weight, linoleic acid 20% by weight, linolenic acid 9% by weight, eicosenoic acid 1% by weight, palmitic acid 4% by weight, hexadecenoic acid 2% by weight and docosadienoic acid 1% by weight. 80 to 85% by weight of castor oil consists of the glyceride of ricinoleic acid. Castor oil also contains ca. 7% by weight glycerides of oleic acid, 3% by weight glycerides of linoleic acid and ca. 2% by weight glycerides of palmitic and stearic acid. 55 to 65% by weight of the total fatty acids in soybean oil are polyunsaturated acids, more particularly linoleic and linolenic acid. The situation with sunflower oil is similar, its typical fatty acid spectrum - based on total fatty acid - being as follows: ca. 1% by weight myristic acid, 3 to 10% by weight palmitic acid, 14 to 65% by weight oleic acid and 20 to 75% by weight linoleic acid.

All the above numerical data on the fatty acid components of the triglycerides are dependent on the quality of the raw materials and,

accordingly, can vary. PIT emulsions containing group b) nutrients selected from coconut oil, sunflower oil and/or rapeseed oil are particularly preferred.

Important constituents of the PIT emulsions used in accordance with the invention are the emulsifiers and emulsifier systems used. Nonionic emulsifiers, more particularly ethoxylated fatty alcohols and fatty acids, are preferably used as emulsifiers. To form PIT emulsions, it is of advantage to use a two-component emulsifier system containing a hydrophilic emulsifier (A) and a hydrophobic co-emulsifier (B). Suitable hydrophilic nonionic emulsifiers (A) are substances which have an HLB value of about 8 to 18. The HLB value (hydrophilic/lipophilic balance) is a value which may be calculated in accordance with the following equation:

$$HLB = (100-L)/5$$

15

10

5

where L is the percentage by weight of lipophilic groups, i.e. the fatty alkyl or fatty acyl groups in percent in the ethylene oxide addition products.

Fatty alcohol ethoxylates in the context of the teaching according to the invention correspond to formula (II):

20

25

30

$$R^{3}-O-(CH_{2}CH_{2}O)_{n}-H \tag{II}$$

in which R³ is a linear or branched, saturated or unsaturated alkyl group containing 6 to 24 carbon atoms and n is a number of 1 to 50. Compounds of formula (II) where n is a number of 1 to 35 and more particularly a number of 1 to 15 are particularly preferred. Other particularly preferred compounds of formula (II) are those where R³ is an alkyl group containing 16 to 22 carbon atoms.

The compounds of formula (II) are obtained in known manner by reaction of fatty alcohols under pressure with ethylene oxide, optionally in

10

15

20

25

the presence of acidic or basic catalysts. Typical examples are caproic alcohol, caprylic alcohol, 2-ethyl hexyl alcohol, capric alcohol, lauryl alcohol, isotridecyl alcohol, myristyl alcohol, cetyl alcohol, palmitoleyl alcohol, stearyl alcohol, isostearyl alcohol, oleyl alcohol, elaidyl alcohol, petroselinyl alcohol, linolyl alcohol, linolenyl alcohol, elaeostearyl alcohol, arachyl alcohol, gadoleyl alcohol, behenyl alcohol, erucyl alcohol and brassidyl alcohol and the technical mixtures thereof obtained, for example, in the high-pressure hydrogenation of technical methyl esters based on fats and oils or aldehydes from Roelen's oxosynthesis and as monomer fraction in the dimerization of unsaturated fatty alcohols. Technical fatty alcohols containing 12 to 18 carbon atoms, such as for example coconut oil, palm oil, palm kernel oil or tallow fatty alcohol, are preferred.

Fatty acid ethoxylates which may also be used as emulsifier component (A) preferably correspond to formula (III):

R⁴CO₂(CH₂CH₂O)_mH

(III)

where R⁴ is a linear or branched alkyl group containing 12 to 22 carbon atoms and m is a number of 5 to 50 and preferably 15 to 35. Typical examples are products of the addition of 20 to 30 moles ethylene oxide onto lauric acid, isotridecanoic acid, myristic acid, palmitic acid, palmitoleic acid, stearic acid, isostearic acid, oleic acid, elaidic acid, petroselic acid, linoleic acid, linolenic acid, elaeostearic acid, arachic acid, gadoleic acid, behenic acid and erucic acid and the technical mixtures thereof obtained for example in the pressure hydrolysis of natural fats and oils or in the reduction of aldehydes from Roelen's oxosynthesis. Products of the addition of 20 to 30 moles ethylene oxide onto C₁₆₋₁₈ fatty acids are preferably used.

Partial glycerides which may be used as emulsifier component (B) preferably correspond to formula (IV):

10

15

20

25

30

 $CH_2O(CH_2CH_2O)_x$ - COR^5 $CH-O(CH_2CH_2O)_yH$ $CH_2O(CH_2CH_2O)_z$ -H (IV)

where CO R⁵ is a linear or branched acyl group containing 12 to 22 carbon atoms and x, y and z together stand for 0 or for numbers of 1 to 50 and preferably 15 to 35. Typical examples of partial glycerides suitable for the purposes of the invention are lauric acid monoglyceride, coconut fatty acid monoglyceride, palmitic acid monoglyceride, stearic acid monoglyceride, isostearic acid monoglyceride, oleic acid monoglyceride and tallow fatty acid monoglyceride and addition products thereof with 5 to 50 and preferably 20 to 30 moles ethylene oxide. Monoglycerides or technical mono/diglyceride mixtures predominantly containing monoglycerides (IV) where CO R⁵ is a linear acyl group containing 16 to 18 carbon atoms, are preferably used.

Emulsifier mixtures containing components (A) and (B) in a ratio by weight of 10:90 to 90:10, preferably 25:75 to 75:25 and more particularly 40:60 to 60:40 are normally used.

Other suitable emulsifiers are, for example, nonionic surfactants from at least one of the following groups:

- (I) products of the addition of 2 to 30 moles of ethylene oxide and/or 0 to 5 moles of propylene oxide onto linear fatty alcohols containing 8 to 22 carbon atoms;
- (II) glycerol monoesters and diesters and sorbitan monoesters and diesters of saturated and unsaturated fatty acids containing 6 to 22 carbon atoms and ethylene oxide adducts thereof;
- (III) alkyl mono- and oligoglycosides containing 8 to 22 carbon atoms in the alkyl group and ethoxylated analogs thereof;

20

25

30

- (IV) products of the addition of 15 to 60 moles of ethylene oxide onto castor oil and/or hydrogenated castor oil;
- (V) polyol esters and, in particular, polyglycerol esters such as, for example, polyglycerol polyricinoleate or polyglycerol poly-12hydroxystearate. Mixtures of compounds from several of these classes are also suitable;
- (VI) products of the addition of 2 to 15 moles of ethylene oxide onto castor oil and/or hydrogenated castor oil;
- (VII) partial esters based on linear, branched, unsaturated or saturated 10 C_{6/22} fatty acids, ricinoleic acid and 12-hydroxystearic acid and glycerol, polyglycerol, pentaerythritol, dipentaerythritol, sugar alcohols (for example sorbitol) and polyglucosides (for example cellulose);
 - (VIII) wool wax alcohols;
- 15 (IX) polyalkylene glycols.

The addition products of ethylene oxide and/or propylene oxide onto glycerol mono- and diesters and sorbitan mono- and diesters of fatty acids or onto castor oil are known commercially available products. They are homolog mixtures of which the average degree of alkoxylation corresponds to the ratio between the quantities of ethylene oxide and/or propylene oxide and substrate with which the addition reaction is carried out.

To select suitable emulsifier systems, it can be useful to calculate the PIT of the particular system. However, this also applies in particular to potential optimizations in the choice of the emulsifiers or emulsifier systems and their adaptation to the choice and mixing of aqueous phase on the one hand and the type of oil phase on the other hand as predetermined by other considerations as to technical procedure. Corresponding expert knowledge has been developed in basically totally different fields, particularly in the production of cosmetics. Particular reference is made in this connection to the article by TH. Förster, W. von Rybinski, H. Tesmann

10

15

20

25

30

and A. Wadle "Calculation of Optimum Emulsifier Mixtures for Phase Inversion Emulsification" in International Journal of Cosmetic Science 16, 84-92 (1994). The article in question contains a detailed account of how the phase inversion temperature (PIT) range of a given three-component system of an oil phase, a water phase and an emulsifier can be calculated by the CAPICO method (calculation of phase inversion in concentrates) on the basis of the EACN value (equivalent alkane carbon number) characteristic of the oil phase. More particularly, this article by Förster et al. cites important literature for the subjects under discussion here which should be viewed in conjunction with the disclosure of this article by Förster et al. With the aid of numerous examples, it is shown how the choice and optimization of the emulsifiers/emulsifier systems are accessible to the adjustment of optimal predetermined values for the phase inversion temperature range by the CAPICO method in conjunction with the EACN concept.

The PIT emulsions used in accordance with the invention preferably contain 20 to 90% by weight of water, more preferably 30 to 80% by weight and most preferably 30 to 60% by weight of water. The balance to 100% by weight is made up of oil phase and emulsifiers and optionally other auxiliaries and additives. The oil phase itself is present in quantities of preferably 10 to 80% by weight and more particularly 40 to 70% by weight. In a preferred embodiment, the oil phase exclusively contains components a) or b) or mixtures of these components. The use of emulsions containing the oil and water phases in a ratio by weight of 1:1 is particularly preferred. The emulsifiers or emulsifier systems are present in quantities of preferably 1 to 25% by weight, more preferably 5 to 20% by weight and most preferably 5 to 15% by weight. The emulsions used in accordance with the invention preferably have phase inversion temperatures of 20 to 95°C and more particularly in the range from 40 to 95°C.

According to the invention, the described PIT emulsions may be

10

15

20

used in fermentation processes of all kinds. Any of the various processes known to the expert, for example batch or fed batch and continuous fermentation, may be used. In addition, any of the fermenter systems known to the expert may be used. For details, see *Crueger*, pages 50 to 70. Moreover, the use of the microemulsions is not confined to specific microorganisms. On the contrary, the emulsions may be used for the production or transformation of any of the compounds known to the expert through fermentation. Apart from the conventional fermentation processes which are mainly used for the synthesis of antibiotics (cf. *Crueger*, pages 197 to 242), the described emulsions are also suitable for use in microbial transformations (bioconversions), for example the transformation of steroids and sterols, antibiotics and pesticides or the production of vitamins (cf. *Crueger*, pages 254 to 273). However, the described emulsions are preferably used in fermentation processes for the production of antibiotics, for example cephalosporins, tylosine or erythromycin.

In general, the emulsions are suitably added to the aqueous fermentation broth containing the microorganisms and the nitrogen source and trace elements and optionally other auxiliaries, especially defoamers. Suitable nitrogen sources are, for example, peptone, yeast or malt extract, corn steep liquor, urea or lecithins. The trace elements may be present in the form of inorganic salts, for example sodium or potassium nitrate, ammonium nitrate, ammonium sulfate, iron sulfate, etc. It can also be of advantage to add other additives, such as defoamers or nitrogen sources, to the PIT emulsions themselves.

Examples

Various emulsions were prepared by mixing the starting materials, heating the mixture beyond the PIT temperature and then cooling it to room temperature (20°C) (method according to DE 38 19 193 A1). The PIT temperature was determined by conductivity measurement. The droplet

size was measured with a Coulter N4 Plus Submicron Particle Sizer. The measuring angle was 90°. The results are set out in Tables 1a and 1b. The emulsions are suitable, for example, as sole nutrient source for fermentation processes and may be directly added to the aqueous fermentation broth.

15

Table 1a

	wt. %							
Rapeseed oil	34	45	45	45	45	40	40	45
Water	55	37	37	37	37	44	44	37
Castor oil ethoxylated with 40 moles EO per mole castor oil	5	3						
Behenyl alcohol + 10 EO	2.3		3	5	4	3	3	3
Glycerol oleate	3.7			2	1		1	
Hydrogenated castor oil ethoxylated with 7 moles EO per mole castor oil		15	15	11	13	13	12	13
PIT (°C)	84	83	68	61	65	72	57	75
Droplet size (nm)	318	293	230	187	195	229	175	269

Table 1b

	wt. %				
Methyl oleate	45	45			
Sunflower oil				45	40
Coconut oil			34		
Water	45	45	55	37	44
C _{16/18} fatty alcohol + 12 EO	5	7			
Castor oil ethoxylated with 40 moles EO per mole castor oil			4		
Behenyl alcohol + 10 EO			2.8	3	3
Glycerol monostearate		3	,		
Glycerol oleate			4.2		
Hydrogenated castor oil ethoxylated with 7 moles EO per mole castor oil				15	12
C ₁₆ fatty alcohol + 6 EO	5				
PIT (°C)	73	74	62	68	57
Droplet size (nm)	201	216	156	219	180

CLAIMS

1. The use of o/w emulsions containing at least water, emulsifiers and an oil phase containing one or more compounds selected from the groups of

16

- 5 a) fatty acid alkyl esters and/or
 - b) triglycerides of vegetable origin

characterized in that the emulsion is produced by the PIT method and has a droplet size of 50 to 400 nm,

- 10 in fermentation processes.
 - 2. The use claimed in claim 1, characterized in that the oil phase contains fatty acid methyl esters as component a).
 - 3. The use claimed in claim 1 or 2, characterized in that emulsions with a mean droplet size of 100 to 300 nm, preferably 180 to 300 nm and more particularly 160 to 250 nm are used.
 - 4. The use claimed in claims 1 to 3, characterized in that emulsions containing water in quantities of 20 to 90% by weight, preferably 30 to 80% by weight and more particularly 30 to 60% by weight are used.
- 5. The use claimed in claims 1 to 4, characterized in that emulsions containing the oil phase in quantities of 10 to 80% by weight and preferably 40 to 70% by weight are used.
 - 6. The use claimed in claims 1 to 5, characterized in that emulsions containing fatty acid methyl esters of formula (I):

 $25 \quad R^{1}\text{-COO-R}^{2} \tag{I}$

in which R^1 is a C_{6-22} alkyl group and R^2 is a methyl group, are used.

7. The use claimed in claims 1 to 6, characterized in that emulsions containing methyl oleate, methyl palmitate, methyl stearate and/or methyl

pelargonate in the oil phase are used.

- 8. The use claimed in claims 1 to 7, characterized in that emulsions containing coconut oil, sunflower oil and/or rapeseed oil in the oil phase are used.
- 5 9. The use claimed in claims 1 to 8, characterized in that emulsions containing an emulsifier system containing hydrophilic emulsifiers with HLB values of 8 to 18 in combination with hydrophobic co-emulsifiers are used
 - 10. The use claimed in claim 9, characterized in that emulsions of which the emulsifier systems have quantity ratios between hydrophilic emulsifiers and co-emulsifiers of 10:90 to 90:10 are used.
 - 11. The use claimed in claims 1 to 10, characterized in that emulsions containing emulsifiers in quantities of 1 to 25% by weight, preferably in quantities of 5 to 20% by weight and more particularly in quantities of 5 to 15% by weight are used.

Type a plus sign (+) inside this b	ioX →		oved for use through: 10/31/98 OMB 0651 COffice; U.S. DEPARTMENT OF COMME
0010/PTO Rev. 6/95	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket Number	H 4157 PCT/US
DECLARA	TION FOR	First Named Inventor	MOLITOR, Jean-Pierre
UTILITY O	R DESIGN	C	OMPLETE IF KNOWN
PATENT API	PLICATION	Application Number	09/980,193 /
÷		Filing Date	03/25/2002
	R X Declaration Submitted after	Group Art Unit	
Submitted with Initial Filing	Initial Filing	Examiner Name	
UTILIZATION OF PIT	EMULSIONS IN FERME	t on the invention entitled: ENTATION PROCESSE	s
UTILIZATION OF PIT			S
		NTATION PROCESSE	S
the specification of which	(Title of th	NTATION PROCESSE	S ates Application Number or PCT International
the specification of which is attached hereto OR X was filed on (MM/DD/YYY	(Title of th	NTATION PROCESSE	
the specification of which is attached hereto OR X was filed on (MIWDD/YYY Application Number PCT/E I hereby state that I have reviewed an amendment specifically referred to about	(Title of the Contents of the above in cove.)	entrion PROCESSE: the Invention) as United States amended on (MIW/DD/YYYY) identified specification, including the cla	ates Application Number or PCT International (if applicabl aims, as amended by any
the specification of which is attached hereto OR X was filed on (MIWDD/YYY Application Number PCT/E I hereby state that I have reviewed an	(Title of the contents of the above in	entrion PROCESSE: the Invention) as United States amended on (MIW/DD/YYYY) identified specification, including the cla	ates Application Number or PCT International (if applicable aims, as amended by any
the specification of which is attached hereto OR X was filled on (MM/DD/YYY Application Number PCT/E I hereby state that I have reviewed and amendment specifically referred to about acknowledge the duty to disclose information of \$365(a) of any PCT Interrest.	(Title of the Contents of the above in the Contents of the Contents	as United States amended on (MIW/DD/YYYY) identified specification, including the class as defined in Title 37 Code of Federals)-(d) or §365(b) of any foreign applications to be country other than the United	ates Application Number or PCT International (if applicabl aims, as amended by any al Regulations, § 1.56. ion(s) for patent or inventor's d States of America, listed below
the specification of which is attached hereto OR X was filed on (MW/DD/YYY Application Number PCT/E I hereby state that I have reviewed and amendment specifically referred to about 1 acknowledge the duty to disclose information of the property of the	(Title of the Contents of the above in the Contents of the Contents	as United States amended on (MIW/DD/YYYY) identified specification, including the class as defined in Title 37 Code of Federals)-(d) or §365(b) of any foreign applications to be country other than the United	ates Application Number or PCT International (if applicabl aims, as amended by any al Regulations, § 1.56. ion(s) for patent or inventor's d States of America, listed below

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time yo are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below.

"Express Mail Post Office to Addressee" service Mailing Label Number

Additional provisional

application numbers are listed on a supplemental priority sheet attached hereto.

EL541614611US

Additional foreign application numbers are listed on a supplemental priority sheet attached hereto:

Filing Date (MM/DD/YYYY)

Application Number(s)

DECL	.ARA	IT	10	Į
------	------	-----------	----	---

Page 2

I hereby claim the be designating the Unite prior United States of duty to disclose infor the filing date of the	ed States of Americ r PCT internationa mation which is m	ca, listed below a I application in that aterial to patenta	and, insofar as the ne manner provide ibility as defined in	subject of by the Title 37,	matter of ea first paragra , Code of Fe	ach of the claims aph of Title 35, t ederal Regulatio	of this ap Jnited Sta ns §1.56 v	pplication is notes Code §11 which became	ot disclose 2.1 acknov e available	ed in the wledge the between	
	U.S. Parent Application PCT Polymer Number							Parent Patent Number (if applicable)			
		PCT/EP00	/04365	05/	16/2000						
Additional U.S	S. or PCT internation	onal application	numbers are listed	l on a su	pplemental	priority sheet at	ached he	reto.			
As a named inventor Trademark Office co			rney(s) and/or age	ent(s) to p	orosecute th	nis application a	nd to trans	sact all busine	ess in the l	Patent and	
Firm Name OR X List Attorney	(s) and/or agent	(s) name and re	egistration numb	er below	r.	Customer Number «	label				
1 0 1	Name		Registration Number				Name		Regist Nu	ration mber	
John E. Drach Steven J. Trza			32,891 36,296			Ettelman ⁄lillson, Jr.			42,5° 18,98		
Additional a	torney(s) and/or	agent(s) name	d on a suppleme	ntal she	et attached	d hereto.					
Please direct all correspondence to	:	X Custom Number	orianai i	C	236	57	OR		correspo ess below		
	Aaron R. Ettelr	nan_									
Address											
Address City					State				ZIP		
Country			Telephone	61	0-278-49	30	F	ax	610-278	-6548	
I hereby declare the belief are believed like so made are p willful false statem	to be true; and for unishable by fine ents may jeopard	urther that thes or imprisonme lize the validity	f my own knowle e statements we ent, or both, unde	dge åre re made er Sectio	true and the with the ken 1001 of	hat all stateme nowledge that Title 18 of the	nts made willful fal	on informat	its and the	euch	
Name of Sole	or First Inven	tor:			[A petition	has bee	n filed for th	is unsign	ed	
Given Jean Name	an-Pierre		Middle Initial		Family Name	MOLITOR			Suffix e.g. Jr.		
Inventor's Signature	roll'	SO.					Date	5.11	'. 2ల	01	
Residence: City	Duesseldorf	DEX	State		Country	Germany		Citizenship	Luxer	nburg	
Post Office Addre	ss Am Netto	hesfeld 28									
Post Office Addre	ss										
City 40589 D	uesseldorf	State	Zip		Country	Germany		Applicant Authority			

Additional inventors are being named on supplemental sheet(s) attached hereto

			DECL	ARATI	ON				ADDITIC Supp	NAL II olemen	VENTOR	(S)	
Name	of A	dditions	al Joint Invent	or, if any:			□ A	petition I	has been fi	ed for	this unsig	ned inv	/en
Given Name	·	Matthia	as		Midd Initia				WEGENER			Suffix e.g. Jr.	Γ
Invento Signati		人.	ves	020			L	Traine		Date	5.11.		
Reside City	nce:	Duc	esseldorf D	EX	Stat	ie		Country	Germany	l	Citizenship	Germ	any
Post O	ffice A	ddress	Benrather Sc	hlossallee	92			<u> </u>					
Post O	ffice A	ddress											
City	405	97 Duess	eldorf	State		Zip		Country	Germany		Applicant Authority		
Name	of A	dditiona	al Joint Invent	or, if any:	1		Па	petition	has been fi			ned inv	er
Given Name		Christi	ian		Midd Initia			·	DE HAUT			Suffix e.g. Jr.	
Invento Signati		Clut	س عو ا	ronl		-				Date	5.11.	2001	
Reside City	nce:	Boi	issise F	ex	Stat	te		Country	France		Citizenship	Franc	e,
	ffice A	ddress	53 B-de Seine	``				<u> </u>					
Post O	ffice A	ddress											
City	773	10 Boissi	se	State		Zip		Country	France		Applicant Authority		
Name	e of A	dditions	al Joint Invent	tor, if any			□ A	petition	has been fi	led for		ned inv	/er
Given Name		Benoit			Midd Initia			Family Name	ABRIBAT			Suffix e.g. Jr.	
Invento Signati		-								Date	5.11.	2001	
Reside City	nce:	Dar	nnemois F	KX	Sta	te		Country	France		Citizenship	Franc	e
	ffice A	ddress	22, rue de la l	Messe		Ł_		I				<u> </u>	
	ffice A	ddress				*****							_
Post O		90 Danne	mois	State		Zip		Country	France		Applicant Authority		
Post O	914							<u> </u>		led for	this unsig	ned in	 /er
City		dditiona	al Joint Inven	tor, if any				petition	has been ti	60 101			r
City		dditiona Bent	al Joint Inven	tor, if any	Midd Initia		<u>Г</u> А		ROGGE	ieu ioi		Suffix e.g. Jr.	L
City Name Given	e of A		al Joint Inven	tor, if any	Midd			Family		Date		e.g. Jr.	<u></u>
City Name Given Name Invento Signate Reside City	e of A	Bent Due	esseldorf	tor, if any	Midd			Family				e.g. Jr.	an
City Name Given Name Invento Signate Reside City	e of A	Bent 154	- 2nt 1<	> 36×	Midd Initia		A	Family Name	ROGGE		5.11:	e.g. Jr. 2001	an
Name Given Name Invento Signate Reside City Post O	e of A	Bent Due	esseldorf Linienstrasse	> 36×	Midd Initia		A	Family Name	ROGGE		5.11:	e.g. Jr. 2001	an

ė. ***	ign (+) inside this box	U.S. Patent and	Tradamark Office	· II S DEDADTM	PTO/SB/123 (10-00) 2002. OMB 0651-0035 ENT OF COMMERCE			
CH	uction Act of 1995, no persons are required to r IANGE OF NDENCE ADDRESS	Patent Number Issue Date	formation unless	it displays a valid	OMB control number.			
Address to:	Patent	Application Numbe	r	09/980,1	93			
Assistant Commission	Filing Date		03/25/20	02				
Washington, D.C. 20	1231	First Named Invent	or	MOLITOR,	Jean-Piern			
Please change the X Customer N OR	Correspondence Address for the community 23657 Type Customer Number h		atent to:		Customer er Bar Code I here			
Firm <i>or</i> Individual Name	Cognis Corporation							
Address								
Address								
City		State	•	ZIP				
Country	(500) 070 1100	<u> </u>	T					
Telephone	(610) 278-4920	Fax	(610) 2	<u>78-4971</u>	-			
This form cannot be used to change the data associated with a Customer Number. To change the data associated with an existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124). This form will not affect any "fee address" provided for the above-identified patent. To change a "fee address" use the "Fee Address Indication Form" (PTO/SB/47). I am the: Patentee. Assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96). Attorney or agent of record.								
Typed or Printed Name Signature	Aaron R. Ettelman, R.N.	42,516						
O'S lature	A.K. GMI							
	March 25, 2002							
	e inventors or assignees of record of the enature is required, see below*.	entire interest or their re	epresentative(s) are required. S	Submit multiple			
*Total of	forms are submitted.							

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.